

规格型号			转速	流量	扬程	配套功率	允许吸深	吸液口径	出液口径	整机重量
类别代码	材质代号	型号	r/min	m3/h	M	Kw	≤M	MM	MM	Kg
1-5	G.PP.BXG	16WFB-A	2900	0.75	8	0.75	2.5	16	10	75
				1.1	6.5					
				1.5	5.5					
1-5	G.PP.BXG	25WFB-A	2900	3.6	25	3	3.5	25	20	110
1-5	G.PP.BXG	32WFB-A	2900	4.5	13	1.5	3	32	25	99
				6.5	10.5					
				9	8					
1-5	G.PP.BXG	40WFB-A	2900	6.5	25	4	4	40	32	140
				8.5	23					
				10	21					
1-5	G.PP.BXG	40WFB-A1	2900	13.5	18	3	4	40	32	140
1-5	G.PP.BXG	40WFB-A2	2900	5	15	2.2	4	40	32	125
				8	13					
				10	11					
1-5	G.PP.BXG	40WFB-A3	2900	14	8	2.2	4	40	32	125
1-5	G.PP.BXG	50WFB-A	2900	7.5	28	7.5	5	50	40	205
				12.5	26					
				15	24.5					
1-5	G.PP.BXG	50WFB-A1	2900	10.5	20.5	4	5	50	40	170
1-5	G.PP.BXG	50WFB-AD	1450	5	11	1.5	4	50	40	149
				6.3	10					
				7.5	9					
1-5	G.PP.BXG	50WFB-AD	1450	10	6	1.5	4	50	40	149
1-4	G.BXG	50WFB-B	2900	10	40	11	5	50	40	215
				11	38					
				15	35					
1-4	G.PP.BXG	50WFB-B1	2900	7	33	7.5	5	50	40	205
				12	31					
				15	29					
1-5	G.PP.BXG	50WFB-B2	2900	10	26.5	7.5	5	50	40	185
1-5	G.PP.BXG	50WFB-B3	2900	5	15	2.2	4	50	40	150
				6.4	14					
				7.5	12.5					
1-4	G.BXG	50WFB-C	2900	8.5	58	15	5	50	40	240
				12	56					
				15	54					
1-4	G.BXG	50WFB-C1	2900	10	46	11	5	50	40	215

				12	40					
1-5	G.PP.BXG	50WFB-CD	2900	5	19	3	4	50		170
				6	18					
				8	17					
1-4	G.BXG	50WFB-E	2900	7.5	82	18.5	5	50	40	260
				12	80					
				15	75					
1-4	G.BXG	50WFB-E1	2900	10	68	15	5	50	40	250
				12	62					
				15	55					
1-5	G.PP.BXG	50WFB-E2	1450	3.5	26	5.5	4	50	40	170
				6.3	25					
				7.5	24					
1-5	G.PP.BXG	65WFB-A	1450	15	27	7.5	4	65	50	260
				20	26					
				25	24					
1-5	G.PP.BXG	65WFB-A1	2900	21	20	7.5	4	65	50	260
1-5	G.PP.BXG	65WFB-AD	2900	7	12	3	4	65	50	200
				12	11					
				15	9					
1-4	G.BXG	65WFB-B	2900	15	41	11	5	65	50	270
				25	38					
				30	34					
1-5	G.PP.BXG	65WFB-B1	2900	20	26	7.5	5	65	50	250
1-5	G.PP.BXG	65WFB-BD	2900	10	16	5.5	5	65	50	230
				12	14					
				15	13					
1-4	G.BXG	65WFB-C	2900	15	58	18.5	5	65	50	280
				25	56					
				30	52					
1-4	G.BXG	65WFB-C1	2900	22	45	15	5	65	50	265
1-5	G.PP.BXG	65WFB-C2	2900	7.5	19	5.5	5	65	50	240
				12.5	18					
				15	17					
1-4	G.BXG	65WFB-E	2900	15	82	30	5	65	50	450
				25	80					
				30	78					
1-4	G.BXG	65WFB-E1	2900	21	64	18.5	5	65	50	340
				20	55					

1-5	G.PP.BXG	65WFB-E2	1450	7.5	27.5	7.5	5	65	50	280
				12.5	26					
				15	24.5					
1-4	G.BXG	65WFB-F	2900	15	127	45	5	65	50	485
				25	125					
				30	123					
1-4	G.BXG	65WFB-F1	2900	18	108	45	5	65	50	485
				21.5	95					
				23.5	85					
1-4	G.BXG	65WFB-F2	2900	7.5	38	11	5	65	50	270
				12.5	37					
				15	36					
1-4	G.PP.BXG	65WFB-F3	2900	7	34	7.5	5	65	50	260
				9	30					
				12	26					
2-4	G.PP.BXG	80WFB-A	2900	30	28	5.5	6	80	65	380
				50	26					
				60	24					
				70	20					
2-4	G.BXG	80WFB-AD	1450	15	11.5	18.5	4	80	65	305
				20	11					
				30	10					
				38	9					
2-4	G.BXG	80WFB-B	2900	40	35	5.5	5	80	65	395
				50	38					
				60	35					
				65	28					
2-4	G.PP.BXG	80WFB-BD	1450	15	15	30	5	80	65	340
				25	14					
				30	13					
				35	11					
2-4	G.BXG	80WFB-C	2900	30	59	7.5	5	80	65	460
				50	55					
				60	52					
2-4	G.BXG	80WFB-C1	2900	45	38	45	5	80	65	400
				40	46					
2-4	G.PP.BXG	80WFB-C2	2900	15	19	7.5	5	80	65	320
				25	18					
				30	17					

2-4	G.PP.BXG	80WFB-CD	1450	21	14	7.5	5	80	65	340
				25	12					
2-4	G.BXG	80WFB-E	2900	30	84	37	5	80	65	480
				50	80					
				60	76					
2-4	G.BXG	80WFB-E1	2900	30	60	18.5	5	80	65	400
				40	50					
2-4	G.PP.BXG	80WFB-E2	2900	15	27	11	5	80	65	380
				25	26					
				30	24					
2-4	G.PP.BXG	80WFB-E3	2900	15	22	7.5	5	80	65	300
				20	18					
2-4	G.BXG	80WFB-F	2900	30	128	55	5	80	65	580
				50	120					
				60	110					
2-4	G.BXG	80WFB-F1	2900	26	103	45	5	80	65	530
				30	95					
				40	80					
2-4	G.BXG	80WFB-F2	2900	15	36	11	5	80	65	380
				25	32					
				30	30					
2-4	G.BXG	80WFB-F3	2900	21	34	11	5	80	65	380
				23	30					
				26	26					
2-4	G.PP.BXG	100WFB-A	2900	60	30	18.5	5	100	80	560
				100	26					
				110	22					
				120	20					
2-4	G.PP.BXG	100WFB-AD	1450	30	12	11	5	100	80	450
				40	11					
				50	10					
				60	9					
2-4	G.BXG	100WFB-B	2900	60	40	22	5	100	80	580
				80	36					
				100	32					
				120	28					
2-4	G.PP.BXG	100WFB-BD	1450	30	15	11	5	100	80	520
				40	14					
				50	13					

				68	11					
2-4	G.BXG	100WFB-C	2900	45	55	37	5	100	80	630
				80	48					
				100	45					
2-4	G.BXG	100WFB-C1	2900	75	40	30	5	100	80	605
				85	35					
2-4	G.PP.BXG	100WFB-C2	2900	40	20	15	5	100	80	520
				50	19					
				60	18					
2-4	G.PP.BXG	100WFB-C3	2900	40	16	11	5	100	80	500
				45	15					
2-4	G.BXG	100WFB-E	2900	60	87	55	5	100	80	720
				80	80					
				100	75					
2-4	G.BXG	100WFB-E1	2900	80	60	45	5	100	80	680
				100	51					
2-4	G.PP.BXG	100WFB-E2	2900	30	26	11	5	100	80	530
				50	25					
				55	24					
2-4	G.PP.BXG	100WFB-E3	2900	58	22	15	5	100	80	530
				62	18					
2-4	G.BXG	100WFB-F	2900	60	133	90	5	100	80	965
				80	125					
				100	120					
2-4	G.BXG	100WFB-F1	2900	80	108	75	5	100	80	820
				90	90					
				100	80					
2-4	G.BXG	100WFB-F2	2900	30	40	15	5	100	80	550
				50	38					
				60	36					
2-4	G.PP.BXG	100WFB-F3	2900	40	33	11	5	100	80	530
				43	29					
				46	26					
2-4	G.BXG	125WFB-A1	2900	100	55	55	5	125	100	900
				150	50					
				180	45					
2-4	G.BXG	125WFB-A2	2900	170	40	45	5	125	100	860
				185	30					
2-4	G.PP.BXG	125WFB-A2	2900	70	20	15	5	125	100	720

				80	19					
				100	17					
2-4	G.PP.BXG	125WFB-AD	1450	105	16	15	5	125	100	740
				110	15					
2-4	G.BXG	125WFB-B	2900	120	86	110	5	125	100	1150
				180	80					
				220	72					
2-4	G.BXG	125WFB-B1	2900	150	65	75	5	125	100	1005
				170	60					
2-4	G.PP.BXG	125WFB-B2	2900	80	26	22	5	125	100	760
				100	25					
				120	24					
2-4	G.PP.BXG	125WFB-B3	2900	85	22	18.5	5	125	100	730
				90	20					
2-4	G.BXG	125WFB-C	2900	160	132	160	5	125	100	1580
				180	125					
				200	120					
2-4	G.BXG	125WFB-C1	2900	180	108	110	5	125	100	1270
				190	93					
				208	80					
2-4	G.BXG	125WFB-C2	2900	80	40	30	5	125	100	790
				100	38					
				120	36.5					
2-4	G.PP.BXG	125WFB-C3	2900	92	23	22	5	125	100	750
				85	26					
				80	29					
2-4	G.BXG	125WFB-E	2900	70	52	37	5	125	100	820
				90	50					
				110	48					
2-4	G.BXG	125WFB-E1	2900	90	45	30	5	125	100	790
				95	40					
2-4	G.BXG	125WFB-E2	2900	85	36	22	5	125	100	770
2-4	G.BXG	150WFB-A	2900	120	28	37	5	150	125	990
				185	26					
				200	23.5					
				240	22.5					
2-4	G.BXG	150WFB-AD	1450	160	20	30	5	150	125	960
2-4	G.BXGF	150WFB-BD	1450	156	40	45	5	150	125	1060
				180	6					

				225	30					
2-4	G.BXG	150WFB-BD1	1450	220	29	45	5	150	125	1080
				260	25					
2-4	G.BXG	150WFB-BD2	1450	160	34	37	5	150	125	1020
				180	29					
				195	26					
2-4	G.BXG	150WFB-BD3	1450	120	55	75	5	150	125	1205
				200	50					
				240	45					
2-4	G.BXG	150WFB-CD	1450	180	45	55	5	150	125	1100
				190	38					
2-4	G.BXG	150WFB-CD1	1450	165	36	37	5	150	125	1020
2-4	G.BXG	200WFB-AD	1450	250	26.5	55	5	200	150	1415
				330	25					
				350	23.5					
2-4	G.BXG	200WFB-AD1	1450	300	22	45	5	200	125	1375
2-4	G.BXG	200WFB-AD2	1450	330	19	37	5	200	125	1335
2-4	G.BXG	200WFB-BD	1450	240	42	75	5	200	125	1520
				300	37					
				350	33.5					
2-4	G.BXG	200WFB-BD1	1450	250	28.5	55	5	200	150	1415
2-4	G.BXG	200WFB-BD2	1450	310	25	55	5	200	150	1790
				380	18					
				450	13					
				520	10					
2-4	G.BXG	200WFB-CD	1450	350	55	110	5	200	150	1660
				380	50					
				420	45					
2-4	G.BXG	200WFB-CD1	1450	360	45	90	5	200	150	1520
2-4	G.BXG	200WFB-CD2	1450	300	40	75	5	250	150	1556
				330	36					
2-4	G.BXG	250WFB-AD	1450	290	26.5	55	5	250	150	1450
				330	25					
				360	23.5					
2-4	G.BXG	250WFB-AD1	1450	400	13	45	5	250	150	1660
				430	8					
2-4	G.BXG	250WFB-AD2	1450	340	35	75	5	250	200	1660
				360	33					
				400	31					

2-4	G.BXG	250WFB-AD3	1450	500	28.5	75	5	250	200	1660
				600	22.5					
				720	18					
2-4	G.BXG	250WFB-BD	1450	350	45	90	5	250	200	1800
				380	40					
				400	37					
2-4	G.BXG	250WFB-BD1	1450	300	50	90	5	250	200	1800
				350	47					
				380	45					
2-4	G.BXG	250WFB-BD2	1450	200	57.5	90	5	250	200	1800
				260	55					
				290	52.5					
2-4	G.BXG	250WFB-BD3	1450	400	30	90	5	250	200	1800
				628	24.5					
				700	20					
2-4	G.BXG	300WFB-AD	1450	500	26.5	90	5	300	250	1880
				550	25					
				600	23.5					
2-4	G.BXG	300WFB-AD1	1450	370	42	90	5	200	250	1988
				390	35					
				400	33					
				430	31					
2-4	G.BXG	300WFB-AD2	1450	600	30	132	5	300	250	2058
				650	25					
				1000	18					
2-4	G.BXG	300WFB-AD3	1450	350	50	110	5	300	250	2280
				400	47.5					
				450	45					
2-4	G.BXG	300WFB-BD	1450	300	57.5	110	5	300	250	2280
				320	55					
				345	52.5					
2-4	G.BXG	300WFB-BD1	1450	678	55	45	5	300	250	2480
				780	47.5					
2-4	G.BXG	300WFB-BD2	1450	900	30	37	5	300	250	2388
				740	40					
				590	50					
2-4	G.BXG	300WFB-BD3	1450	600	57	75	5	300	250	2400
				750	45					
				850	40					

				978	35					
2-4	G.BXG	300WFB-CD	1450	860	42.5	55	5	300	250	2480
2-4	G.BXG	300WFB-CD1	1450	700	57.5	55	5	300	250	2508
				780	52					
				890	45					
2-4	G.BXG	350WFB-AD	1450	550	26.5	110	5	350	300	2500
				600	25					
				790	23.5					
2-4	G.BXG	350WFB-AD1	1450	580	35	90	5	350	300	2780
				690	33					
				820	31					
2-4	G.BXG	350WFB-AD2	1450	450	42.5	75	5	350	300	2630
				500	40					
				550	37.5					
2-4	G.BXG	350WFB-AD3	1450	500	50	55	5	350	300	2785
				535	47.5					
				590	45					
2-4	G.BXG	350WFB-BD	1450	306	57.5	45	5	350	300	2630
				356	55					
				400	52					
2-4	G.BXG	350WFB-BD1	1450	840	55	75	5	350	300	2785
				950	48					
				1200	40					
2-4	G.BXG	350WFB-BD2	1450	886	57.5	75	5	350	300	3088
				980	52.5					
				1186	45					
2-4	G.BXG	350WFB-BD3	1450	860	42		5	350	300	2508
				1050	35					
				1180	32					
2-4	G.BXG	350WFB-CD	1450	1200	35	250	5	350	300	2688
				1320	32					
2-4	G.BXG	350WFB-CD1	1450	1156	40	250	5	350	300	2886
				1280	35					
2-4	G.BXG	350WFB-CD2	1450	1128	45	280	5	350	300	3080
				1050	50					
2-4	G.BXG	350WFB-CD3	1450	1000	57.5	315	5	350	300	3285
				1200	50					
2-4	G.BXG	350WFB-ED	1450	900	30	160	5	350	300	2380
				1096	25					

2-4	G.BXG	400WFB-ED1	1450	1140	30	220	5	350	300	2600
				1370	25					
2-4	G.BXG	400WFB-AD	1450	1850	15	160	5	400	350	2860
				1520	18					
				1450	20					
2-4	G.BXG	400WFB-AD1	1450	1680	10	200	5	400	350	2150
2-4	G.BXG	400WFB-AD2	1450	1600	75	375	5	400	350	1800
2-4	G.BXG	400WFB-AD3	1450	2050	55	375	5	400	350	1750
2-4	G.BXG	400WFB-BD	1450	1700	20	220	5	400	350	2500
				2085	15					
2-4	G.BXG	400WFB-BD1	1450	1600	22.5	200	5	400	350	2650
				2000	18					
2-4	G.BXG	400WFB-BD2	1450	2226	20	250	5	400	350	2880
				1880	25					
2-4	G.BXG	400WFB-BD3	1450	1700	30	280	5	400	350	2980
				2506	20					
2-4	G.BXG	400WFB-CD	1450	2308	8	132	5	400	350	2650
2-4	G.BXG	400WFB-CD1	1450	1880	12	160		400	350	2750
2-4	G.BXG	400WFB-CD2	1450	2280	12	200		400	350	2860
2-4	G.BXG	400WFB-CD3	1450	1905	18	200	5	400	350	2850
2-4	G.BXG	450WFB-AD	1450	1650	35	315	5	450	400	3250
				2880	20					
2-4	G.BXG	450WFB-AD1	1450	2890	5	280	5	450	400	2650
2-4	G.BXG	450WFB-BD	1450	2825	8	132	5	450	400	2880
2-4	G.BXG	450WFB-BD1	1450	2825	12	200	5	450	400	2968
2-4	G.BXG	600WFB-AD	1450	3400	8	160	5	600	500	3080
2-4	G.BXG	600WFB-BD	1450	4280	8	200	5	600	500	3080
2-4	G.BXG	600WFB-CD	1450	4020	5	110	5	600	500	2850
2-4	G.BXG	800WFB-AD	1450	4520	5	132	5	800	600	3280
2-4	G.BXG	800WFB-BD	1450	5480	5	160	5	800	600	3385
2-4	G.BXG	800WFB-CD	1450	6850	5	200	5	800	600	3380